Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates, California Counties & Selected City Health Jurisdictions, 1997–2001 Provisional Data

COUNTY	199	1997		1998		99	20	00	2001	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	174	33.2	116	22.3	92	17.8	82	15.4	62	11.8
Alameda	6	28.9	4	19.1	5	24.3	3	13.5	4	18.2
— Berkeley ¹	1	101.2	-	-	-	-	-	_	-	-
Alpine	_	_	_	_	_	_	_	_	_	-
Amador	_	_	_	_	_	_	_	_	_	-
Butte	_	_	_	_	_	_	_	_	_	_
Calaveras	_ [_		_	_	_		_		_
Colusa	-	_	_		-		-		_	
Contra Costa	2	16.3	_		1	7.9	3	22.7	1	7.6
Del Norte	-	10.5			'	7.5	3	22.1	'	7.0
El Dorado		_	_	_		_	_	_		_
Fresno	19	134.6	8	55.7	6	42.8	4	28.0	2	14.0
		134.6		55.7		42.0		20.0		14.0
Glenn	-	-	-	-	-	-	-	<u>-</u>	-	
Humboldt	-	-	-	-	-	-	-	-	-	-
Imperial	-	-	-	-	1	40.6	1	38.9	1	38.5
Inyo	-	-	-	-	-	-	-		-	
Kern	-	-	3	26.0	1	8.8	3	25.7	4	34.1
Kings	-	-	-	-	-	-	-	-	-	-
Lake	-	-	-	-	-	-	-	-	-	-
Lassen	-	-	-	-	-	-	-	-	-	-
Los Angeles	88	54.3	65	41.0	44	28.2	42	26.7	30	19.5
 Long Beach¹ 	12	136.1	5	58.8	7	82.4	2	23.8	2	24.4
— Pasadena ¹	1	40.6	-	_	1	41.9	-	_	-	_
Madera	_	-	2	96.5	_	-	_	_	_	_
Marin	_	_	-	-	_	_	_	_	2	69.8
Mariposa	_	_	_	_	_	_	_		-	
Mendocino		_	_	_	_	_	_	_	_	
Merced		_	-	_	-	_	-	_	_	_
	-	-	-	-	-	-	-	-	-	-
Modoc	-	-	-	-	-	-	-	-	-	-
Mono	-	-	-	447	-	-	-	-	-	-
Monterey	-	-	1	14.7	1	14.9	-		-	-
Napa	-	-	-	-	-	-	-	-	1	63.9
Nevada			-		-	-	-		-	-
Orange	19	40.0	8	17.3	6	12.9	6	12.8	2	4.4
Placer	-	-	-	-	-	-	-	-	-	-
Plumas	-	-	-	-	-	-	-	-	-	-
Riverside	6	25.7	-	-	2	8.5	3	12.1	2	7.9
Sacramento	6	34.7	2	11.3	2	11.3	2	11.0	-	-
San Benito	-	-	1	112.2	-	-	-	-	-	-
San Bernardino	-	-	3	10.6	1	3.5	2	7.0	-	-
San Diego	15	34.7	12	27.6	14	32.4	3	6.8	7	16.0
San Francisco	2	24.4	1	12.3	1	12.3	1	11.6	1	12.1
San Joaquin	3	34.4	3	34.7	4	45.2	5	52.1	1	10.2
San Luis Obispo	-	-	-	-	-	-	-	-	-	-
San Mateo	-	-	-	-	-	-	-	-	-	-
Santa Barbara	1	17.3	-	-	-	-	-	-	1	17.8
Santa Clara	2	7.6	-	-	2	7.6	1	3.6	2	7.4
Santa Cruz	-	_	_	_	_	-	_	_	_	_
Shasta	_	_	_	_	_	_	_	_	_	_
Sierra	-	-	_	_	_	_	_		_	-
Siskiyou	_	_	_	_	_	_	_	_	_	_
Solano	_	_	_	_	_	_	_	_	_	_
Sonoma		_	1	18.3	1	18.5		_		_
Stanislaus	-	14.7	1	14.4	' -	10.5	2	27.6	_	
	1	14.7		14.4	-	-	2	21.0	-	-
Sutter Tehama	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Trinity	-		-		-	-	-			
Tulare	1	14.4	1	14.5	-	-	1	13.8	1	13.7
Tuolumne	-	-	-	-	-	-	-	-	-	-
Ventura	2	17.7	-	-	-	-	-	-	-	-
Yolo	-	-	-	-	-	-	-	-	-	-
Yuba	1	95.6	_	-	-	-	-	-	-	-

¹ City Health Department numbers are included in their respective county totals.

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Finance, Demographic Research Unit, *Historical and Projected Births by County,* 1970-2011, with Births by Age of Mother and Fertility Rates. Sacramento, CA, August 2002

Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates by Race/Ethnicity of Mother, California, 1997–2001 Provisional Data

RACE/	1997		1998		1999		2000		2001	
ETHNICITY	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	174	33.2	116	22.3	92	17.8	82	15.4	62	11.8
American Indian/Alaskan Native	1	38.7	0	0.0	1	40.0	0	0.0	0	0.0
Asian/Pacific Islander	10	17.7	4	7.2	3	5.3	5	8.0	1	1.7
Black	51	141.8	39	110.8	24	70.3	13	38.5	10	32.3
Hispanic	96	38.6	62	25.0	46	18.5	58	22.5	45	17.2
White	15	8.3	11	6.1	15	8.6	6	3.4	6	3.6
Not Specified	1	-	0	-	3	-	0	-	0	-

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Health Services, Vital Statistics Section, Live Births and Birth Rates by Race/Ethnic Group of Mother, California Counties and Selected City Health Departments, California, 2001

Congenital Syphilis in Infants < 1 Year of Age, Cases by Classification, California Counties & Selected City Health Jurisdictions, 2001 Provisional Data

	Total	Confirmed	Stillbirth	Presumptive Cases			
COUNTY	Cases	Cases	Cases	Probable ¹	Possible ²		
CALIFORNIA	62	1	5	52	4		
Alameda	4		,	32	1		
— Berkeley ³	_	_	-	-			
Alpine	_	_	-	_	-		
Amador	_	_	-	_	-		
Butte	_	_	-	_	-		
Calaveras	_	_	-	_	-		
Colusa	-	-	-	-	-		
Contra Costa	1	-	-	1	-		
Del Norte	_	-	-	-	-		
El Dorado	-	-	-	-	-		
Fresno	2	-	-	2	-		
Glenn	-	-	-	-	-		
Humboldt	-	-			-		
Imperial	1	-	-	1	-		
Inyo	-	-	-	-	-		
Kern	4	-	1	1	2		
Kings	-	-	-	-	-		
Lake	-	-	-	-	-		
Lassen	-	-	-	-	-		
Los Angeles	30	-	2	28	-		
— Long Beach ³	2	-	-	2	-		
— Pasadena ³	_	-	-	_	-		
Madera	_	_	-	_	-		
Marin	2	_	-	2	-		
Mariposa	-	-	-	-	-		
Mendocino	_	_	-	-	-		
Merced	_	_	-	_	-		
Modoc	_	-	-	-	-		
Mono	-	-	-	-	-		
Monterey	-	-	-	-	-		
Napa	1	-		-	1		
Nevada	-	-	-	-	-		
Orange	2	-	-	2	-		
Placer	-	-	-	-	-		
Plumas	-	-	-	-	-		
Riverside	2	-	1	1	-		
Sacramento	-	-	-	-	-		
San Benito	-	-	-	-	-		
San Bernardino	-	-	-	-	-		
San Diego	7	1	1	5	-		
San Francisco	1	-	-	1	-		
San Joaquin	1	-	-	1	-		
San Luis Obispo	-	-	-	-	-		
San Mateo	-	-	-	-	-		
Santa Barbara	1	-	-	1	-		
Santa Clara	2	-	-	2	-		
Santa Cruz	-	-	-	-	-		
Shasta	-	-	-	-	-		
Sierra	-	-	-	-	-		
Siskiyou	-	-	-	-	-		
Solano	-	-	-	-	-		
Sonoma	-	-	-	-	-		
Stanislaus	-	-	-	-	-		
Sutter	-	-	-	-	-		
Tehama	-	-	-	-	-		
Trinity	-	-	-	-	-		
Tulare	1	-	-	1	-		
Tuolumne	-	-	-	-	-		
Ventura	-	-	-	-	-		
Yolo	-	-	-	-	-		
Yuba	-	-	-	-	-		

CDC Algorithm for Presumptive Cases

Source: California Department of Health Services, STD Control Branch

¹ Mother not treated adequately or treatment unknown before or during pregnancy; or mother treated adequately before or during pregnancy, but evidence of treatment failure or reinfection.

² Mother treated adequately before or during pregnancy, but response was equivocal or could not be determined prior to delivery and infant was not evaluated.

³ City Health Department numbers are included in their respective county totals.